



Comfortable
舒适



High-quality
高贵



Intelligent
智能



BEYOND IMAGINATION BRAND NEW VILLA LIFESTYLE

超越想象 全新的别墅生活方式

延续北欧设计美学，
将传统精致工艺与现代设计实践相结合，
提升家居生活品质感与幸福感。

Continuing Nordic design aesthetics,
traditional exquisite craftsmanship is combined with
modern design practice,
to improve the quality of life and happiness at home.



Exquisite space 精致空间

全景观光玻璃井道，精致通透；轿壁饰面唯美典雅，
打造富有艺术气息的生活空间，让您享受乘梯旅程。

Panoramic sightseeing glass shaft, exquisite and transparent; The
inner wall of elevator is beautiful and elegant, creating an artistic
living space, allowing you to enjoy the journey by elevator.



Luxury quality 奢华品质

优选材料结合创新工艺，地毯、灯光、操控面板……
每一个细节都为用户带来舒适触感和奢华体验。

Preferred materials combined with innovative technology, every
detail brings comfortable touch and luxurious experience to users
such as carpet, lighting, control panel and so forth.

DEDICATED TO
GUARDING THE
SENSE OF SECURITY
OF THE FAMILY

倾力守护家的安全感



Intelligent
Elf Remote
interconnection,
one-click control

智能精灵
远程互联 一键掌控

融汇触控感应、远程数据监控等功能，
便于随时掌控电梯的使用安全。

It integrates touch sensing, remote data
monitoring and other functions to guarantee the
safety of elevators at any time.

安全边框

三面安全边框保护，电梯运行
时防止意外触碰或卡滞。

Security frame

Three-sided safety frame protection
prevents accidental touch or sticking
when the elevator is running.

童锁功能

配备安全童锁，防止儿童单独
乘梯发生危险。

Child lock function

Equipped with safety child lock to
prevent children from the risk of taking
the elevator alone.

安全玻璃

高强度双层夹胶玻璃，杜绝玻
璃碎裂风险。

Safety glass

High-strength double-layer laminated
glass eliminates the risk of glass
fragmentation.

安全轿顶

井道非完全封闭时，防止异物
进入井道。

Safety elevator roof

Prevent foreign objects from entering
the hoistway when it is not completely
closed.

停电应急平层

停电时进入应急平层模式，就
近平层。

Emergency level of power outage

Enter the emergency level mode and
stop at the nearest floor in case of
power failure.

跌倒检测报警

困人摔倒，自动视觉检测进行
报警。

Fall detection alarm

If a person is trapped or falls down,
automatic visual inspection will give an
alarm.

一键呼救

突发故障时，可一键呼叫预设的
紧急联络人。

One-click call for help

In case of sudden failure, the preset
emergency contact person can be called
with one click.

净化系统

负离子与紫外线双重净化杀菌
系统，深度净化除味，智能杀菌，
保护家人健康。

Purification system

Anion and ultraviolet double purification
and sterilization system can conduct a
deep purification and deodorization, and
intelligent sterilization, so as to protect
the family health.

智能呼梯

可定制人脸识别呼梯，语音呼
梯，指纹识别呼梯等健康智能呼
梯方式。

Intelligent elevator calling

Health and intelligent calling modes such
as face recognition calling, voice calling
and fingerprint recognition calling can be
customized.

超载停梯

当超过额定载重，警报响起，电
梯不能上下运行。

Stop when overload

When the rated load is exceeded, the
alarm sounds and the elevator cannot
run up and down.

FLEXIBLE LAYOUT ENJOY THE BEAUTY OF LIFE

灵活布置, 尊享生活之美

尺寸小巧, 结构紧凑, 无需机房, 可针对需求个性化精准定制, 模块化高效组装, 适合别墅、复式楼、多层顶层公寓等私人住宅。

Small size, compact structure, no need for computer room, personalized and precise customization, modular and efficient assembly, suitable for private houses such as villas, duplex buildings and multi-storey penthouses.

Diversified layout 多样化布局



中空大厅安装方案
Installation scheme of hollow hall



环绕楼梯安装方案
Installation scheme of staircases wrapping



楼板中间安装方案
Installation scheme of floor center



顶层复式公寓小空间无底坑方案
Scheme of small space bottomless pit in penthouse apartment



Aluminum alloy derrick 铝合金井架

一体观光特制铝合金井架, 驱动系统内置, 结构紧凑。

Integrated sightseeing special aluminum alloy derrick with built-in driving system and compact structure.

Enlarge space 放大空间

无侧轿壁, 节省井道空间, 放大乘梯空间。

No side wall saves the hoistway space and enlarges elevator space.



Flexible adaptation 灵活适配

顶层、底坑要求极低, 可适配多种土建要求。

The requirements of top floor and pit are extremely low, which can adapt to various land construction requirements.





FASHIONABLE APPEARANCE KEEPING UP WITH THE TREND OF HOME

紧跟家居潮流的时尚外观

尺寸小巧, 结构紧凑, 无需机房, 可针对需求个性化精准定制, 模块化高效组装, 适合别墅、复式楼、多层顶层公寓等私人住宅。

Small size, compact structure, no need for computer room, personalized and precise customization, modular and efficient assembly, suitable for private houses such as villas, duplex buildings and multi-storey penthouses.



松柏绿 (选配)
Pine green (Optional)



普鲁士蓝 (选配)
Prussian blue (Optional)



赤釉红 (选配)
Glaze red (Optional)



爵士灰 (选配)
Jazz grey (Optional)

DOOR SYSTEM

门系统

S01

手拉门
Sliding door



M02

单扇自动平开门
Single leaf automatic swing door




M01

中分自动平开门
Center split automatic swing door



SMART CONTROL PANEL/HOP

智能控制面板/外呼



DS-COP19

选配 Optional

13.3寸触摸屏
13.3-inch touch screen



DS-COP22


选配 Optional

13.3寸触摸屏
13.3-inch touch screen



DS-HB15

选配 Optional



DS-HB17

选配 Optional

ART BACKPLANE

艺术背板



DS-G901

选配 Optional

发光板: 纳米导光板、无影灯带、铝框包边
地面: 编织地毯

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



DS-G904

选配 Optional

发光板: 纳米导光板、无影灯带、铝框包边
地面: 编织地毯

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



DS-G912

选配 Optional

发光板: 纳米导光板、无影灯带、铝框包边
地面: 编织地毯

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



DS-G915

选配 Optional

发光板: 纳米导光板、无影灯带、铝框包边
地面: 编织地毯

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet

ART BACKPLANE

艺术背板



DS-G901S

选配 Optional

井道吊顶: 琉璃亚克力、氛围灯

井道封板: 铝烤漆板、6000k氛围灯

平台背板: 专利型UV印刷纳米导光板、镶嵌绿钻呼吸闪光灯, 边框6000k氛围灯


平台地板: 拼花实木地板铝型材包边

Hoistway ceiling: Glazed acrylic, ambient light

Hoistway sealing plate: Aluminum paint board, 6000k ambient light

Platform backplane: Patented UV printed nano light guide plate, inlaid green diamond breathing flash lamp, 6000K atmosphere lamp in the frame

Platform floor: Parquet solid wood floor edged with aluminum profile



DS-G902S

选配 Optional

井道吊顶: 星空顶、线型灯

井道封板: 铝烤漆板, 6000k氛围灯

平台背板: 专利型UV印刷纳米导光板, 镶嵌黄钻呼吸闪光灯, 边框6000k氛围灯


平台地板: 阿尔卑斯蓝岩板铝型材包边

Hoistway ceiling: Starry sky top, line lamp

Hoistway sealing plate: Aluminum paint board, 6000k ambient light

Platform backplane: Patented UV printed nano light guide plate, inlaid yellow diamond breathing flash lamp, 6000K atmosphere lamp in the frame

Platform floor: Alpine blue rock plate edged with aluminum profile



DS-G906S

选配 Optional

井道吊顶: 苹果银碳晶板、线型灯、筒灯

井道封板: 金属烤漆板, 6000k 氛围灯

平台背板: 中间岩板, 两侧发光灯板, 单色, 选配幻彩, 铝蜂窝基板, 厚度 29mm

平台地板: 岩板铝型材包边

Hoistway ceiling: Apple silver carbon crystal plate, linear light, downlight

Hoistway sealing plate: Metal paint panel, 6000k ambient light

Platform backplane: Middle rock board, two side light board, monochrome, optional colorful fantasy, aluminum honeycomb substrate, 29mm thickness

Platform floor: Rock plate edged with aluminum profile



DS-G908S

选配 Optional

井道吊顶: 水波纹碳晶板、线型灯

井道封板: 竹木纤维板卡金属分隔线、两侧线性灯、厚度15mm

平台背板: 中间岩板、两侧发光灯板、单色、选配幻彩、铝蜂窝基板, 厚度29mm

平台地板: 岩板铝型材包边

Hoistway ceiling: Water corrugated carbon crystal plate, linear lamp


Hoistway sealing plate: Bamboo fiber board with metal dividers, linear lights on both sides, 15mm thickness

Platform backplane: Middle rock board, two side light board, monochrome, optional colorful fantasy, aluminum honeycomb substrate, 29mm thickness

Platform floor: Rock plate edged with aluminum profile

ART BACKPLANE

艺术背板



DS-G918

选配 Optional

发光板: 纳米导光板、无影灯带、铝框包边

地面: 编织地毯

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



DS-G925

选配 Optional

发光板: 纳米导光板、无影灯带、铝框包边

地面: 编织地毯

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



DS-G932

选配 Optional

发光板: 纳米导光板、无影灯带、铝框包边

地面: 编织地毯

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



DS-G936

选配 Optional

灯光: 3000-6000K可调色温, 音乐灯

导光: 高透导光板, 纸纹树脂

木饰面: 黑橡木饰面

边框颜色: 黑色

Light: 3000-6000K adjustable color temperature, music lights

Light guide: High-transmittance light guide plate, paper textured resin

Wood finish: Black oak wood finish

Frame color: Black

ART BACKPLANE

艺术背板




DS-G901G

选配 Optional

吊顶:炫彩透明顶
背板:岩板、碳晶板、氛围灯
侧壁:透明白玻
扶手:不锈钢扶手
地板:编织地毯

Ceiling: Bright and transparent ceiling
Backplane: Rock board, carbon crystal board, atmosphere light
Side wall: Transparent glass
Handrail: Stainless steel handrail
Floor: Woven carpet



DS-G902G

选配 Optional

吊顶:透光白顶
背板:白色亚克力、黑钛镜面不锈钢装饰、氛围灯
侧壁:透明白玻
扶手:不锈钢扶手
地板:编织地毯

Ceiling: Transparent white roof
Back: White acrylic, black titanium mirror stainless steel decoration, atmosphere light
Side wall: Transparent glass
Handrail: Stainless steel handrail
Floor: Woven carpet



DS-G903G

选配 Optional

吊顶:彩绘顶
背板:白色亚克力、黑钛镜面不锈钢装饰、氛围灯
侧壁:透明白玻
扶手:木纹扶手
地板:编织地毯

Ceiling: Painted ceiling
Back: White acrylic, black titanium mirror stainless steel decoration, atmosphere light
Side wall: Transparent glass
Handrail: Wood grain handrail
Floor: Woven carpet



DS-G904G

选配 Optional

吊顶:星空顶、线型灯
背板:岩板、碳晶板、氛围灯
侧壁:透明白玻
地板:编织地毯

Ceiling: Starry sky ceiling, linear light
Backplane: Rock board, carbon crystal board, atmosphere light
Side wall: Transparent glass
Floor: Woven carpet

OTHER DECORATION

其他装潢


吊顶 Ceiling



DS-C905
选配 Optional



DS-C907
选配 Optional



DS-C908
选配 Optional



DS-C909
选配 Optional



DS-C910
选配 Optional



DS-C911
选配 Optional



DS-C912
选配 Optional



DS-C913
选配 Optional



地板-高端岩板 Floor



DS-DB16
选配 Optional



DS-DB17
选配 Optional



DS-DB18
选配 Optional

地板-PVC编织地毯 Floor



DS-DB25
选配 Optional



DS-DB26
选配 Optional

FUNCTION TABLE

功能表


注：“●”为标配功能，“○”选配功能

Note: "●" is a standard function and "○" is an optional function

- | | | |
|---|--|--|
|  智慧大屏
Smart Big Screen |  电梯变频驱动
VVF Drive |  地踏开关
Ground Foot Switch |
|  超载停梯
Overload Holding Stop |  应急照明
Emergency Car Lighting |  轿厢照明节能功能
Energy-saving Car Illumination Function |
|  一键呼叫
One-click Call |  上行超速保护装置
Upward Over-speed Protection Device |  下行超速保护装置
Downward Over-speed Protection Device |
|  停电应急平层装置
Power Failure Emergency Leveling Device |  智能语音助手
Intelligent Voice Assistant |  氛围灯自由调节
Ambient Light Can Be Adjusted Freely |
|  立体环绕音响
Stereo Surround Sound |  降噪语音话筒
Noise Cancelling Voice Microphone |  专属界面定制
Exclusive Interface Customization |
|  语音报站
Voice Announcer |  IC卡控制功能
IC Card Control Function |  语音安抚功能
Voice Calm Function |
|  智能语音呼梯
Intelligent Voice Call |  人脸识别呼梯
Face recognition call |  智能灯控
Intelligent Light Control |
|  跌倒检测报警
Fall Detection Alarm |  远程数据监控
Remote Data Monitoring |  指纹呼梯
Call Elevators By Fingerprints |
|  一键自救功能
One-click Self-rescue Function |  安全童锁功能
Child Safety Lock Function |  隐私安全设置
Privacy Security Settings |

TECHNICAL PARAMETER

技术参数



额定载重	额定速度	提升高度	层站
260	0.25-0.3m/s	2.5-15m	2-6层
320	0.25-0.3m/s	2.5-15m	2-6层
400	0.25-0.3m/s	2.5-15m	2-6层

框架尺寸	宽 深	980	1080	1180	1280	1380	开门宽度
		乘坐空间	乘坐空间	乘坐空间	乘坐空间	乘坐空间	
后置对重	950	900*600	900*700	900*800	900*900	900*1000	700
	1050	1000*600	1000*700	1000*800	1000*900	1000*1000	800
	1150	1100*600	1100*700	1100*800	1100*900	1100*1000	800
	1250	1200*600	1200*700	1200*800	1200*900	1200*1000	800
	1350	1300*600	1300*700	1300*800	1300*900	1300*1000	800
侧置对重	宽 深	950	1050	1150	1250	1350	开门宽度
	乘坐空间	800*900	800*1000	800*1100	800*1200	800*1300	600
	1180	850*900	850*1000	850*1100	850*1200	850*1300	650
	1230	900*900	900*1000	900*1100	900*1200	900*1300	700
	1280	950*900	950*1000	950*1100	950*1200	950*1300	750
1330	1000*900	1000*1000	1000*1100	1000*1200	1000*1300	800	

注:井道预留尺寸≥框架尺寸+20mm,速度0.25-0.3m/s,地坑≥100mm
Note: The reserved size of hoistway should be greater than or equal to the frame size plus 20mm, the speed is 0.25-0.3m/s, and the pit is greater than or equal to 100mm